# AquaElite<sup>™</sup> SonicAir

24v Direct Drive Solar Aeration System





## Part No. Sonic 24T

## **Product Features**

#### **System Includes:**

- Quantum<sup>™</sup> 24v DC Rocking Piston Compressor
- Proprietary MaxEnergy<sup>™</sup> Solar Controller
- 2 Solar Panel System with Easy Install Racking
- Powder Coated Locking Aluminum Cabinets
- 2 High Efficiency DC Fans for Maximum Cooling
- Optional Sound Kit for Noise Reduction
- Pressure Gauge and Pressure Relief Valve
- Aerates up to 2.5 acres

#### **Compressor Information**

- Quiet 24v Brushless DC Rocking Piston
- 3.7 CFM Output at 10PSI
- Variable Speed Output
- Field Serviceable Maintenance Kits
- Operates in Depths up to 20ft

#### **Solar Panel & Racking Information:**

- 2 60 Cell Solar Panels > 600 Watts of Power
- Tempered Glass to Withstand High Winds
- High Efficiency Output even in Low Light
- Racking Includes 7' Vertical Pipe



## How Does It Compare?

- Highest CFM in the Industry for Direct Drive Solar
- Significantly longer run times due to 2 high output solar panels and our proprietary MaxEnergy™ controller.
- All Inclusive kits only concrete is needed!
- Full 2 year warranty on compressor and controls

## **System Maintenance & Warranty**

## System Warranty

- 3 year compressor (Does not include wear items)
- 2 year MaxEnergy Controller
- 5 year Diffuser/Base and Airline
- 15 year Solar Panels
- Lifetime against rust on cabinet

## **SonicAir Accessories**

#### Weighted Airline

- ARL0033 100' of 1/2" Weighted Airline
- ARL0073 500' of 1/2" Weighted Airline
- ARL0303 100' of 5/8" Weighted Airline
- ARL0304 500' of 5/8" Weighted Airline

#### Diffusers

**ARS0390 -** Single round rubber membrane diffuser with self sinking base, 3/8" & 1/2" barb fitting

**ARS0387 -** Single round rubber membrane diffuser with self sinking base, 5/8" barb fitting

**ARS0391 -** Double round rubber membrane diffuser with self sinking base, 3/8" & 1/2" barb fitting

**ARS0388 -** Double round rubber membrane diffuser with self sinking base 5/8" barb fitting

**ARS0458** Quad round rubber membrane diffuser with self sinking base, 5/8" barb fitting

## System Maintenance

- Replace filter(s) every 6 months
- Install compressor maintenance kit(s) every 2-3 years



## To learn more about our full line of AquaElite fountains and products, reach out to a fountain expert today.



Call 866.471.1614 or visit us online at aquaeliteproducts.com.

